

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	156695	chen.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:52
S2	494	chih-wei.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:52
S4	4816	inventec.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:52
S3	136	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:53
S5	46	S3 and (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 15:54
S7	3070	(timer counter) same (retry re-try attempt again) same (IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:00
S8	410	(timer counter) same (retry re-try attempt again) same (IP) same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:02

## EAST Search History

S9	8809	obtain\$3 with ((ip network) adj (address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:03
S10	1656	S9 same (tim\$3 count\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:03
S11	3774	obtain\$3 near ((ip network) adj (address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:03
S12	605	S11 same (tim\$3 count\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:15
S6	4005	(709/227).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/13 16:17
S13	3202562	(count\$4 tim\$4) same (connection connecting connect connected address initial\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:20
S14	208886	S13 same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:20

## EAST Search History

S15	102425	S13 same ip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:22
S16	27514	S14 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:23
S17	27514	S16 and @PD>"1980"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:25
S19	10352	S18 and ("370".clas. "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:25
S22	10145	S19 and @PY>"1980"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:26
S23	10122	S22 and @PY>"1990"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:26
S24	9426	S23 and @PY>"2000"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:26

## EAST Search History

S25	7179	S23 and @PY>"2002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:26
S26	696	S23 not S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/13 16:51
S27	2802	(709/220).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 09:08
L2	2	("20020133573").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 09:10
L1	6	((("6360276") or ("7039688") or ("6009103"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 09:13
L4	32	("5222234"   "5572583"   "5596723"   "5687315"   "5708810"   "5742816"   "5749083"   "5793498"   "5796736"   "5828830"   "5845304"   "5848410"   "5852722"   "5861959"   "5880855"   "5905980"   "5907837"   "5923845"   "5946701"   "5980078"   "6012088"   "6021429"   "6029196"   "6052784"   "6075776"   "6167446"   "6219715"   "6314459"   "6446108"   "6618806").PN. OR ("7039688").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/14 09:31

## EAST Search History

L3	1335	(tim\$3 count\$3 time\$out) same (connect\$3 obtain\$3 initializ\$3 reciev\$3 detect\$3 discover\$3) same (DHCP bootp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 09:44
L5	930	I3 and (retr\$3 re\$connect\$3 re\$configur\$6 re\$attempt\$3 again re\$start\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 09:46
S18	21057	S17 and (@PD<"20030929" @AD<"20030929" @RLAD<"20030929")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 09:46
L6	655	I5 and (@PD<"20030929" @AD<"20030929" @RLAD<"20030929")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 09:57
L7	140	I3 and (709/220.ccls. 709/221. ccls. 709/222.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 09:58
L19	2	("20040039821").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 12:09

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)
[Sign in](#)

Google

automatic dhcp retry

Search

[Advanced Search](#)  
[Preferences](#)
New! [View and manage your web history](#)

Web

Results 1 - 10 of about 151,000 for automatic dhcp retry. (0.07 seconds)**Automatic Client Configuration (Windows CE 3.0)**

This process is called **Automatic IP** (Auto IP). **Automatic IP** is enabled by ... Because this **retry** method is not based on time — for example, **retry DHCP** every ...  
[msdn2.microsoft.com/en-us/library/aa453971.aspx](#) - 14k - [Cached](#) - [Similar pages](#)

**[CVS] debian-installer netcfg ru.po,1.24,1.25**

netcfg-dhcp.templates:31 -msgid "Do you want to **retry DHCP** network configuration? ... IP address was found during **automatic** network configuration with **DHCP**. ...  
[lists.debian.org/debian-l10n-russian/2004/05/msg00051.html](#) - 14k - [Cached](#) - [Similar pages](#)

**bootp dhcp parameters**

The Dynamic Host Configuration Protocol (**DHCP**) [RFC2131] provides a framework for **automatic** configuration of IP hosts. The "**DHCP**. Options and BOOTP Vendor ...  
[www.iana.org/assignments/bootp-dhcp-parameters](#) - 27k - [Cached](#) - [Similar pages](#)

**Configuring Automatic VPN Initiation-- Windows Only**

The **DHCP** Server can be on either side of the VPN 3000 Concentrator. ... users can only enable/disable auto initiation and change the **retry** interval. ...  
[www.cisco.com/univercd/cc/td/doc/product/vpn/client/4\\_6/admin/vcach4.htm](#) - 25k - [Cached](#) - [Similar pages](#)

**VPN Client Administrator Guide, Release 4.6 - Configuring ...**

Configuring **Automatic VPN Initiation-- Windows Only** Configuring **Automatic** ... users can only enable/disable auto initiation and change the **retry** interval. ...  
[www.cisco.com/en/US/products/sw/secursw/ps2308/products\\_administration\\_guide\\_chapter09186a00802d3aaf.html](#) - 30k - [Cached](#) - [Similar pages](#)  
[\[ More results from www.cisco.com \]](#)

**October 29, 2004 ET3000e and ET3000n release notice This is a ...**

Add: Magtek mag-stripe reader **DHCP automatic** programming **retry** count. To enable this function, using SNMPADM, add the following Dword: ...  
[www.computerlab.com/et3en04331.txt](#) - 11k - [Cached](#) - [Similar pages](#)

**E5420 RELEASE NOTICE October 5, 2005 ET4000n and ET5000n release ...**

Add: Terminal emulation, TermPro, "connect **retry**" function added to allow terminal ... Fix: Magtek mag-stripe reader **DHCP automatic** programming may fail. ...  
[www.computerlab.com/e5420rel.txt](#) - 11k - [Cached](#) - [Similar pages](#)  
[\[ More results from www.computerlab.com \]](#)

**Method and apparatus for automatic IP allocation bootstrapping of ...**

[0011] While **DHCP** simplifies the process for **automatic** assignment of IP .... If a valid BootP assignment response is not received, the NMC will **retry** the ...  
[www.freepatentsonline.com/20040039821.html](#) - 42k - [Cached](#) - [Similar pages](#)

**New Features**

The client will **retry** auto-configuration for up to 10 addresses. 3. Once the **DHCP** client succeeds in self-selecting an address, it configures its network ...  
[www.microsoft.com/technet/prodtechnol/windows2000serv/reskit/cnet/cncb\\_dhc\\_bakb.mspx](#) - 15k - [Cached](#) - [Similar pages](#)

**Gentoo Linux Documentation -- Configuring your Network**

Assuming that you now have a detected network card, you can **retry** net-setup ... Using **DHCP** for **automatic** IP retrieval; Preparing for Wireless Access if you ...

[www.gentoo.org/doc/en/handbook/handbook-x86.xml?part=1&chap=3](http://www.gentoo.org/doc/en/handbook/handbook-x86.xml?part=1&chap=3) - 38k -  
[Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)